























Passive RFID UHF Tags

Tag Model	Applications	Image	Dimensions	Frequency	Read Range	On-Metal Surfaces	Non-Metal Surfaces
T-Tiny	Tiny tag for small metal items such as IT assets, tools, and medical devices.		12x7x3mm	UHF	3m	Yes	No
T-Tool Micro	Small tool tag for tracking IT assets, tools, medical devices, weapons, etc.		17.7x10.9x4.8mm	UHF	1 - 2m	Yes	No
S-Flex	Flexible and washable silicone laundry tag		55x10x1.6mm	UHF	1.2 - 3.6m	No	Yes
CS-WaveMicro	Miniature on-metal tag for a wide variety of IT asset management applications		38x13x3mm	UHF	0 - 3.5m	Yes	Yes
CS-Compact	Compact tag for tracking in RTI, pallet logistics, storage rack identification, asset tracking, and more		38x13x3.8mm	UHF	4 - 8m	Yes	Yes
CS-Compact II	Compact tag for IT assets, data servers, global supply chain logistics, etc.		38x13x3.8mm	UHF	1 - 6m	Yes	Yes
T-Tool	Rugged tool tag used for tracking tools, WIP conveying equipment, IT/telecom equipment, etc.		31.7x12.9x4.8mm	UHF	2 - 6m	Yes	No

Tag Model	Applications	Image	Dimensions	Frequency	Read Range	On-Metal Surfaces	Non-Metal Surfaces
CS-WaveMicro II	Small versatile tag for indoor applications such as ICT and electronics tracking		38x13x4.5mm	UHF	0 - 5m	Yes	Yes
P-Apt	Small tag for tracking small tools and equipment, inventory, servers, network routers, etc.		39x13x5.3mm	UHF	2 - 6m	Yes	No
M-Iron Mini	Rugged on-metal tag that survives in harsh conditions. Tracks RTI and industrial assets.		27x27x5.5mm	UHF	Up to 5m	Yes	Yes
AS-RTI	Thin, tough tag that can survive in harsh environments. Often used for RTI tracking.		122x18x2mm	UHF	Up to 12m	No	Yes
P-Defr	Rugged, durable tag for asset tracking, warehouse management, RTI, railway coach and container tracking, factory automation, etc.		61x14x13mm	UHF	2 - 8m	Yes	No
AS-RTI II	Versatile tag for industrial assets and manufacturing, distribution & RTI items such as roll cages, pallets, plastic crates and totes.		115x30x3.9mm	UHF	11 - 12m	Yes	Yes
TP-Safe	Thin, compact laptop tag with custom printing for companies		115x30x3.9mm	UHF	11 - 12m	Yes	Yes
X-Extreme	Rugged tag designed for extreme conditions. Used in bulk container tracking, AGV/small vehicle management, RTI, etc.		51x36.3x7.5mm	UHF	6 - 10m	Yes	No

Tag Model	Applications	Image	Dimensions	Frequency	Read Range	On-Metal Surface	Non-Metal Surfaces
M-Iron Slim	Slim tag for tracking RTI, industrial assets, and more.		85x21x10mm	UHF	4-10m	Yes	Yes
DX-Bold	Tyre tag which can be attached to any tyre from motorcycle tyres to large dump truck tyres		110x55x3mm	UHF	0 - 2m	No	Yes
P-Economy	Rugged waterproof tag for tracking non-metal assets and goods such as sugar bags, tobacco, furniture, pallets, etc.		119x22x8mm	UHF	6 - 8m	No	Yes
P-Chief	Rugged waterproof tag for tracking metal assets and equipment such as machinery, parts, containers, railway cars, trolleys, trailers, etc.		90x34x7mm	UHF	4 - 7m	Yes	No
M-Iron	Rugged waterproof tag for tracking metal assets and equipment such as machinery, parts, containers, railway cars, trolleys, trailers, etc.		51.5x47.5x10mm	UHF	6 - 9m	Yes	Yes
P-Apex	Rugged waterproof tag for tracking metal assets and equipment such as machinery, parts, containers, railway cars, trolleys, trailers, etc.		150x25x12mm	UHF	4 - 7m	Yes	Yes
X-Legacy	All-purpose tag used in goods transportation and other industrial and logistics applications.		155x26x14.5mm	UHF	Up to 60m	Yes	Yes